



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S GAICTECH AUTOCLAVE 4 BASKETS



ID:

0000000203457

MAKE

GAICTECH

PRES.MAX. ADM

3 Bar

HEAT EXCHANGER

OF PLATES

FLUID

AIRE-AGUA

CENTRIFUGAL PUMP

INCLUDED

SYSTEM

SPRAY

INSIDE DIAMETER

1.430 mm

PRESSURE TEST

6 Bar

MAX TEMPERATURE

150°C

MIN TEMPERATURE

20°C

VOLT

400 V

FREQUENCY

50 Hz

NUMBER OF BASKETS

4

STEAM SYSTEM

INCLUDED

CONTROL PANNEL

INCLUDED

VOLUME

7.200 L

MADE OF

STAINLESS STEEL

MODEL

AH-040-14-1P-BI

No. DOORS

1



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S GAICTECH AUTOCLAVE 4 BASKETS

POWER

12 KW / 16.3 CV



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S GAICTECH AUTOCLAVE 4 BASKETS

SPACE TOTAL DIMENSIONS

LENGTH	6,300 m	WIDTH	2,300 m	HEIGHT	2,700 m	WEIGHT	4.500,00 Kg
--------	---------	-------	---------	--------	---------	--------	-------------

WORKING DIMENSIONS

LENGTH	4,000 m	WIDTH	1,430 m	HEIGHT	0,000 m
--------	---------	-------	---------	--------	---------

DESCRIPTION

Autoclaves are used for the sterilization of packaged products that need to reach high temperatures (+100°C) for the elimination or inactivation of pathogenic microorganisms.

The static autoclave is the ideal solution for products that do not require movement during the sterilisation process. The autoclave can sterilise any type of packaging, from tins and glass to flexible packaging, thus covering a very wide range of applications within the human and pet food sectors.

PLATE HEAT EXCHANGER SPECIFICATIONS:

- Make: Alfa Laval.
- Model (Type): M10-MFM
- Maximum allowable pressure (PS): 10.0 bar
- Allowable temperature (TS): 0.0 °C / 180.0 °C

