



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S ZACMI 40 POCKETS TELESCOPIC FILLER



ID:	0000000195686
MAKE	ZACMI
PRODUCTION	330 CONTAINERS/MIN
MAX FILLING CAPACITY	1/2 Kg (500 gr)
YEAR	NEW
CONTROL PANNEL	INCLUDED
CURRENT FORMAT (L)	0.50
MODEL	0234-B-040
MADE OF	STAINLESS STEEL
NUMBER OF POCKETS	40



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S ZACMI 40 POCKETS TELESCOPIC FILLER

SPACE TOTAL DIMENSIONS

LENGTH	2,330 m	WIDTH	2,600 m	HEIGHT	2,000 m	WEIGHT	0,00 Kg
--------	---------	-------	---------	--------	---------	--------	---------

DESCRIPTION

"R1 ZACMI 40 POCKETS" Rotary volumetric telescopic filler.

Product: filled with solid particles such as various vegetables, peas, beans, etc.

Format: Tetra Recart containers.

Indicative particle size: up to 15 x 15 x 15 mm

Filling temperature range: from 7 °C to 95 °C.

Machine configuration:

- * Central mobile deflector with pneumatic motorized format height adjustment
- * Equipped with transducers (Balluff) to check position
- * Accumulation and feeding hopper (Mod. 0171-R-005):

Total dimensions:

Hopper length: 1.27 m

Hopper width: 1.22 m

Long hopper + vibrator: 3.70 m

Working dimensions:

Hopper length: 1.07 m

Hopper width: 1.10 m

High hopper: 0.90 m

Long hopper + vibrator: 3.10 m

* Motorized volume adjustment

* Adaptation of the electrical panel to UL- and NFPA- standards.

* Production: 20,000 units per hour

Expected fill volume variation:

* From 1.5 to 10 g for peas, corn, cannellini beans etc. This variation depends on the properties of the product (such as the size of the particles, surface properties, density, temperature, percentage of humidity, etc.) as well as on the suitability of the product to be kept at a constant level in the feed tank.

Characteristics:

* Regulation for variable capacity.

* Variable speed drive

* Spindle input.

* Level detector.

* The filler has the "NO CAN - NO FILL" device, which allows filling only in the presence of a container.

* Fully automatic CIP, no manual intervention

* Quick format change.

* Allen-Bradley touch screen

* Protection cabin

* Equipped with vibrating cones that are especially suitable for products that are difficult to fill and cannot be transferred directly from the telescopic bag to the container. Here the product is dosed into adjustable telescopic pockets and transferred to the container with the use of vibrating cones.


* The production may vary depending on the format and product to be filled.



Tomás Guillén
MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S ZACMI 40 POCKETS TELESCOPIC FILLER





Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



S/S ZACMI 40 POCKETS TELESCOPIC FILLER

