

TECHNICAL AND COMMERCIAL OFFER

TWO spindle Multi-Rip Saw, Model MRA




Primultini

Dear Director,

Thank you for your interest in our company's products. Please find the requested offer below:

Technical details

- Maximum cutting height: **160 mm**
- Maximum cutting width: 550 mm
- Minimum workpiece length: 1500 mm (1200 mm with wooden comb)
- Conveyor belt width: 600 mm
- Passage width: 850 mm
- **Minimum workpiece length 800 mm**
- Power of the 2 motors (on the lower and upper arbor): **2 x 110 kW**
- Circular saw blade rotation speed: 3500 rpm
- Feed motor power: 5.5 kW
- Variable feed speed with inverter: 8-45 m/min
- Electric arbor and press movement
- Pressure rollers with pneumatic pistons and adjustable pressure
- Centralized automatic lubrication



- Control panel with 10.4" touchscreen
- Electronic display of arbor position, cutting thickness and feed speed



- Electronic device for automatic feed speed deceleration in case of high power absorption by the 2 main motors
- PLC with touch screen

Main electrical panel



The images show the actual equipment offered, as of the offer issue date

FLORIN IANCU

GENERAL MANAGER

+40726.700.990

Florin.iancu@woodexpert.ro