



MASCHINENTYP:

CNC-

BESTANDS-NR.

**Koordinatenschleifmaschine
90101**

MARKE

HAUSER

MODELL

S40-400

STANDORT

**73240 St-Genix-les-Villages,
FRANCE**

 **DIREKTER LINK**





TECHNISCHE DATEN

CN-Typ	FANUC Series O-M
Verfahrweg X-Achse	650 [mm]
Max. Geschwindigkeit Verfahrweg X-Achse	4000 [mm/min]
Arbeitsvorschubgeschwindigkeit X-Achse	0 - 1800 [mm/min]
Verfahrweg Y-Achse	450 [mm]
Arbeitsvorschubgeschwindigkeit Y-Achse	0 - 1800 [mm/min]
Verfahrweg Z-Achse	130 [mm]
Min. Geschwindigkeit Verfahrweg Z-Achse	0.5 [mm/min]
Max. Geschwindigkeit Verfahrweg Z-Achse	12000 [mm/min]
Frequenz Verfahrweg Z-Achse	max. 4 [Hz]
Verfahrweg W-Achse	500 [mm]
Geschwindigkeit C-Achse (Umlaufgeschwindigkeit)	5 - 250 [rpm]
Max. Geschwindigkeit Verfahrweg W-Achse	800 [mm/min]
Verfahrweg U-Achse (Radialvorschub)	5.5 [mm]
Abstand zwischen Säulen	750 [mm]
Tischlänge	770 [mm]
Tischbreite	630 [mm]
Freier Durchgang zwischen dem Schleifmotor und dem Tisch	585 [mm]
Max. zulässiges Gewicht auf Tisch	500 [kg]
Versorgungsspannung	400 [V]
Gewicht	4550 [kg]

Die technische Beschreibung dient zur Information und ist unverbindlich



ZUSÄTZLICHE INFORMATIONEN

EQUIPMENT INCLUDED:

x1 HI-CUT pack including:

- work area protection
- exhaust system with electrostatic air filter
- fire protection system (to be assessed by a qualified body)
- automatic paper tape filtration unit

x1 grinding motor 22 S, speed 4500 – 22500 [rpm], for EX23 collets – part number: 181561
x1 45 S grinding motor, speed 9000 – 4500 [rpm], for EX19 collets – reference: 144017
x1 80 S grinding motor, speed 40000 – 80000 [rpm], for F6 collets – reference: 144021
x1 grinding motor for slot grinding (motor + belt are included) – reference: 144022
x3 grinding tools for slot grinder
x1 set of belts for slot grinding motor
x1 intermediate plate for alignment of grinding motors – reference: 192940
x1 infinitely adjustable cantilever plate with mounted grinding motor for grinding up to Ø360 [mm] – reference: 144023
x1 adjustable plate, for tilting grinding motors and turbines (up to 16°) – reference: 126148
x1 set of 2 HAUSER 90° angle brackets – reference: 155361
x1 centring microscope – reference: 146318
x1 tool contact detection device – reference: 162334
x20 grinding wheel holders
x1 cable for grinding motor
Various tools
Complete documentation

Die technische Beschreibung dient zur Information und ist unverbindlich





























