


Milling Machine DROOP & REIN type LFAS130ke


Page:1/3
vers.00

TMG reg. nr. 450779

Left Side View



Right Side View



Rear View



Milling Machine DROOP & REIN

type LFAS130ke

TMG reg. nr. 450779

Page:2/3
vers.00



Main Control Panel

		mm / min		
		X	Y	Z
				20
1				43
				66
2				89
				112
3				135
				156
4				181
				204
5				230
				250
6				335
				420
7				500
				585
8				670
				750
9				835
				920
10				1000

Range Label



Machine Milling Head




Device Cabinet - Commande



90 degree Milling Head



Machine Label



Device Cabinet Label

Axes :

- X _Table travel: 3000mm
- Y _CrossRail vertical travel: 1000mm
- Z _Milling Head - Saddle on CrossRail travel: 1500mm
- U _Boring Bar vertical travel: 300mm

Axes Feeds :

- X : min 20mm/minmax 2000mm/min
- Y : min 20mm/minmax 2000mm/min
- Z : min 20mm/minmax 2000mm/min
- U : manually

NOTE: The X, Y, Z axes are equipped with linear encoders.

On Control Panel there is display unit (DRO) for the X, Y, Z axes

For the U axis, direct viewing on a graduated ruler is used

Moving Table Load: max. 20000Kg/m(uniform distribution on table surface)

Moving Table util surface: 4000x1600mm

Moving Table total surface: 4900x1600mm

Distance between Table and Cross Rail: max 1200mm

Machine weight : aprox. 50000Kg

Overall Dimension of the machine: LxWxH= 10000x5000x5300mm

Machine was made by DROOP & REIN - Germany in 1978

ACCESSORIES:

- 4pos. at 90degree Milling Head