

Posh Living SHpk

QUOTATION

QU00121108 - 2025



is more

CILËT JEMI?

Që prej vitit 1952, kompania SCM ka një rol udhëheqës në prodhimin e makinerive, impianteve dhe shërbimeve për industrinë përpunimit të drurit. Përveçse ofron mundësi të gjera zgjedhjeje në këtë sektor, SCM është e pranishme në mbarë botën me rrjetin e saj të shpërndarjes, si dhe me një shërbim pas shitjes të shkëlqyer. Ky shërbim veçohet për kohët e shpejta të reagimit dhe profesionalizmin në zgjidhjen e problematikave të ndryshme.

70 vite histori

3 qendra kryesore prodhimi në Itali

20.000 makineri të prodhuara çdo vit

90% e makinerive të destinuar për eksport

500 teknikë për asistencë teknike

500 patenta të regjistruara

RRJETI MË I MADH SHPËRNDARËS NË TË GJITHË BOTËN

- **20** filiale jashtë Italisë
- **400** agjentë dhe shpërndarës



QU00121108 - 2025 - - EUR

Posh Living SHpk

Prishtinë Kosovo



KRESHNIK SHEHU

info@si-mac.net

Offer presentation

Item	Description	Quantity
morbidelli cx110	CNC Drilling Centres	1

morbidelli cx110 7

Basic machine 9 Working area
 10 Layout
 11 Machining unit
 12 Hardware and software
 devices 15 Safety executions, services,
 packagings and other devices 22 Technical data
 23 Quotation summary
 24 Quotation total price

CNC Drilling Centres



The flexible compactness made for you!

CNC machining centre with a wide range of routing and drilling tools to meet any requirement in the woodworking and materials with similar physical characteristics.





ACCURATE AND COMPACT

The best technology in less than 10 m²:

- shaped clamp
- “3D PROBE” for the X Y Z dimensional control
- high rigidity Ro.Ax. drillingheads.




FLEXIBLE

Adaptable set-ups for any type of product.



VERSATILE

Workpieces unloading area integrable with panel return system or robot cell.



SIMPLE AND PRACTICAL

Maestro cnc software with additional applications for easy and immediate use.

QU00121108 - 2025 - - EUR

Basic machine

R0.07.35 morbidelli cx110

N. 1


72,222

Working area

Layout

Machining unit

52.46.73	<p>F23L RO.AX drilling head</p> <p>It includes:</p> <ul style="list-style-type: none"> - attachment for horizontal and vertical bits: 10 mm diameter, WELDON type (drilling bit max. length = 70mm) - center-to-center distance between axes: 32 mm - no. 13 vertical spindles with independent pneumatic selection - no. 5 horizontal double drilling heads (on both sides), 6 spindles along X and 4 along Y direction - bits rotation speed: 4500 rpm (with optional inverter: 3000-8000 rpm) - no. 1 integrated saw-blade along X axis (125 mm max. diameter, from 2,2 to 6 mm thickness) - saw-blade rotation speed: 5.500 rpm (with optional inverter: 3.600-9.700 rpm) - up to 3,9 kW spindles rotation motor power (5,3 hp- to 50 hz) - vertical pneumatic ON/OFF stroke of each vertical spindle and saw-blade: 60 mm - vertical pneumatic ON/OFF stroke of each horizontal head: 75 mm - locking system on drilling bit "quarterlock" type which allows - assembling/disassembling tools through the use of single M8 screw and 90° rotation on the wrench - high pressure compressed air circuit to guarantee a higher drilling thrust (more than 64 kgf) on each vertical spindle and to process even on the hardest material 	N. 1	1,444
----------	---	------	-------



52.41.14	<p>Drilling unit managed by inverter</p> <p>The inverter managing the tools speed rotation on the router is connected also the driving motor on the drilling unit so to allow adjusting the speed rotation on bits up to 8.000 rpm and up to 10.000 rpm on the integrated saw blade.</p>	N. 1	288
----------	--	------	-----


NOTE: While executing a machining program, switching from routing to drilling operation, as well as the contrary, requires waiting for the router (or driving motor) stop before enabling driving motor (or router).



52.43.47	<p>HSK63F 7,5kW 24000 RPM electrospindle It is positioned on the upper head. Features:</p> <ul style="list-style-type: none"> - HSK 63F quick release tool-holder - 1500 – 24000 rpm spindle speed - (S1/S6) 6,6/7,5 kW (9/10,2 Hp) constant motor power from 12000 to 18000 rpm - right and left rotation - static inverter for continuous speed and rapid shut down of rotation - exhaust hood around whole perimeter - air cooling with separate electric fan - max. length 170 mm (tool holder + tool) - max diameter tool 60 mm - max diameter saw D105mm - n°1 HSK63F ER32 tool holder with RIGHT rotation and nut - n°1 HSK63F ER32 tool holder with LEFT rotation and nut - n°2 collets D15-16mm ER32 	N. 1	8,113
----------	---	------	-------



52.46.75	<p>6 positions-tool changer Distance between collets 125 mm/160mm Max. tool weight 3,5 kg Max. heads weight 7 kg</p>	N. 1	6,667
----------	--	------	-------



Hardware and software devices

Console with "eye-M PRIME" integrated PC

N. 1



Control station which allows the use of the supplied software. The lamp on the monitor allows the operator to know the machine status at any time and from any perspective, even from a distance, at a glance. The solution, equipped with a PC office, guarantees flexibility and modularity, allowing the replacement of the PC only. The possibility of tilting the monitor, give the control station a high degree of ergonomics. The 24" LCD colour display

through a 16/9 sized touch screen grants an unbeatable easiness and efficiency in controlling the main machine functions, also through:

- Full HD display resolution: 1920x1080;
- Capacitive multi-touch screen with 10 points of contact;
- Wide visual angle (178°H, 178°V);

And furthermore:

- Processor: Intel Core i5 12500T; 4,4GHz
- RAM memory: 16GB, DDR4-3200 MHz
- Hard disk: SSD 256GB
- Graphic card: Intel UHD 770
- Operating system: Windows 10 IoT 64 bit
- Keyboard type: Qwerty English layout
- USB optical mouse
- Ethernet port: RJ45
- USB external ports
- Nominal operating temperature: from +5°C to +35°C

TELESOLVE teleservice via internet

N. 1

Teleservice system to connect the machine pc with the service centre via Internet.

Software equipment: connecting program which allows:

- operator's interface visualisation
- signals diagnosis
- on-line verification and modification of the status of configurations, parameters and machine programs
- data back-up and files transfer operations
- upgrade operations for machine logics and operator's

interface

N.B.

*** Internet connection at customer's charge is necessary*

*** Network cable not included*

*** Free for the duration of the warranty*



MAESTRO ACTIVE Human-Machine interface software (HMI) N. 1



Maestro active is the new interface software (HMI) which has been unified across all SCM technologies.

A single operator can easily and confidently run multiple SCM machines, reducing operator training times and facilitating entry into production.

Maestro active has been specifically designed and optimized for immediate use via touch screen. Graphics and icons have been redesigned for simple and comfortable navigation.

Maestro active cnc is the innovative software specifically addressed to SCM machining centres and drilling machines. It is characterized by the following **functions**:

- **Reporting system**: active can provide the following reports: production report, alarms, event, and maintenance reports;
- **Maintenance support**: Maestro active indicates the maintenance operations to be carried out on the machine, connecting them to the relative procedure;
- **Diagnosis system**: Maestro active detects and displays alarms and warnings; offering help to eliminate the current error;
- User management and shifts management;
- Machine records;
- Loading of lists of programs, single programs, also through barcode;
- Execution of manual/semi-automatic commands (MDI);
- Axes calibration;
- Machine status management;

- **Paddle** (command virtual keyboard);
- Axes dimensions, feed and speed override display;
- Tooling for:
 - * work tables
 - * magazines and heads without automatic tool change
 - * drilling heads
 - * edges magazine
 - * rollers magazine

Maestro active cnc, can be integrated with the Iot Maestro connect platform assuring a remote machine control in real time and a proactive maintenance management.

Maestro lab programming software

N. 1

63.03.59

Additional key for Maestro (USB port)

N. 1

187



SCM DIGITAL SOLUTIONS: MAESTRO CONNECT


N. 1



MAIN BENEFITS


1. INCREASED PRODUCTIVITY

Everywhere and at any time information. Immediate instant notifications in case of alarms or downtimes allow customers to **immediately** take actions thus optimizing productivity.



2. MINIMIZING MACHINE DOWNTIME

Maestro Connect helps prevent machine downtime by promptly notifying the client of alarms, offering automated **troubleshooting** documents, and providing direct access to the machine's user manuals and maintenance guides.




3. PROACTIVE SERVICE

The yearly subscription to Maestro Connect provides **proactive technical support** and advisory services from SCM's Control Room. This means customers will stay informed about any less-than-optimal machine usage and receive guidance to prevent downtime or malfunctions. SCM's service team will have access to both past and current data on the machine's status and critical components, speeding up diagnosis and issue resolution.




4. MAINTENANCE PLANNING

In the Smart Maintenance section, customers can benefit from timely and optimal planning of their routine maintenance activities by assigning tasks to their operators and organizing operations efficiently.




5. ENHANCED CONTROL

Reports and Key Performance Indicators (KPIs) enable in-depth analysis of performance, enhancing the customer's understanding of the performance and results. This information helps identify production defects and plan corrective actions.



52.02.70	<p>Maestro connect: 1-year subscription service (kit Gateway "plug&play" included)</p> <p>The solution includes:</p> <ul style="list-style-type: none"> - Subscription to 1-year digital services license - Gateway hardware device positioned inside the electrical cabinet which allows the machine connection to the digital platform - Web App, iOS and Android Mobile app - OPC-UA server on the machine's PC enabling access to machine data. - Proactive technical support and advisory service enabled by SCM's Digital Control Room. 	N.1	2,000
----------	--	-----	-------



SMART MACHINE

Dedicated section for continuous monitoring of machine operation, providing information on machine states, executed machine programs, alarms, and functional parameters of components.

SMART MAINTENANCE

Section organizing and supporting the management of routine, extraordinary, and scheduled maintenance with direct access to tutorials and an automatic ticket assistance system.

SMART ANALYTICS

Section dedicated to presenting Key Performance Indicators (KPIs) for all machines connected to the platform, indicating machine availability and efficiency evaluations.

HIGHEST SECURITY STANDARDS

Customer data is encrypted and authenticated with password to ensure total protection of sensitive information.

Maestro connect uses a separate hardware gateway for secure internet connection, reduces the resources consumption of the machine PC and allows you to keep the system up to date.

SCM guarantees compliance with the following guidelines:

- **Data storage and Safety:** SCM guarantees to collect and process data with the customer's exclusive authorization;
- **Transparency:** at any time, the customer can request to verify the data subject to monitoring and analysis;
- **Confidentiality:** all data will remain for the exclusive Customer's and SCM's use and will not be passed on to third parties.

MAESTRO CONNECT ONBOARDING

To access the mentioned services, registration on the **MySCM** customer portal is required. After registration, customers can download the app for smartphones and tablets from app stores. Installation technicians will guide customers through the registration process and provide training on using Maestro Connect.

Safety executions, services, packagings and other devices

10.99.99	Standard safety regulations	N. 1
93.07.31	Volt 400 EU	N. 1
93.12.01	Frequency 50 Hz	N. 1
10.99.91	Machine language: ENGLISH	N. 1

Technical data

INSTALLATION		
Maximum installed current (400V)	46.00 A	31.50 KVA
Compressed air consumption	2,410.00 mc/h	1,420.00 CFM

Quotation summary

R0.07.35	morbidelli cx110	N. 1
52.46.73	F23L RO.AX drilling head	N. 1
52.41.14	Drilling unit managed by inverter	N. 1
52.43.47	HSK63F 7,5kW 24000 RPM electrospindle	N. 1
52.46.75	6 positions-tool changer	N. 1
	Console with "eye-M PRIME" integrated PC	N. 1
	TELESOLVE teleservice via internet	N. 1
	MAESTRO ACTIVE Human-Machine interface software (HMI)	N. 1
	Maestro lab programming software	N. 1
63.03.59	Additional key for Maestro (USB port)	N. 1
	SCM DIGITAL SOLUTIONS: MAESTRO CONNECT	N. 1
52.02.70	Maestro connect: 1-year subscription service (kit Gateway "plug&play" included)	N. 1
10.99.99	Standard safety regulations	N. 1
93.07.31	Volt 400 EU	N. 1
93.12.01	Frequency 50 Hz	N. 1
10.99.91	Machine language: ENGLISH	N. 1

Quotation total price

Gross price	EUR	90,921
Net price	EUR	90,921
Installation and testing	EUR	
Delivery	EUR	
Total price	EUR	90,921

Notes

Prices not including taxes(to be defined according to different countries)

Quotation total price

SCM Products

Item	Description	Quantity	Gross price	Net price
morbidelli cx110 olimpico	CNC Drilling Centres	1	90,921	90,921

Sales conditions

Quotation validity	30 days
Payment	
Warranty	12 months for spare parts and labor



**SHËRBIM DHE
MIRËMBAJTJE**

scm | service



KURSE TRAJNIMI

**DO TË BËJMË
GJITHÇKA
PËR JU**



PJESË KËMBIMI



**SHËRBIME
DIGJITALE**

SCM ofron një mundësi shumë të gjerë për të zgjedhur shërbime të specializuara me cilësinë dhe besueshmërinë që vijnë si rezultat i 70 viteve eksperiencë në sektorin e përpunimit të drurit.

Duke filluar nga instalimi i pajisjeve dhe asistimi në start-up, deri te asistenca teknike dhe shërbimet e mirëmbajtjes.

Ne ofrojmë trajtime të ndryshme, si dhe sigurimin e pjesëve të këmbimit origjinale. Ju ofrojmë zgjidhje sipas kërkesave dhe nevojave tuaja!



**SERVIS DHE
MIRËMBAJTJE**

- Mbështetje në distancë
- Kontrata mirëmbajtjeje të programuara
- Zgjatje e garancisë



**SHËRBIME
TRAJNIMI**

- Kurse formimi për operatorët e makinave
- Kurse formimi për përsosjen e programeve të punës
- Kurse formimi për fillimin e prodhimit



PJESË KËMBIMI

- Listë me pjesë këmbimi të rekomanduara
- E-shop dhe kataloge interaktive për pjesët e këmbimit
- Riparime të elementeve elektronike, vaskave të ngjitësve dhe elektromotorëve



SHËRBIME DIGJITALE

- **Maestro Connect:** Platformë IoT për të qenë gjithmënë të lidhur me makineritë.
- **Smartech:** Asistencë me AR, duke kombinuar realitetin me grafikën kompjuterike për të qenë sa më pranë zgjidhjeve inovative.
- **Portali My SCM:** Asistencë teknike e specializuar përmes biletave elektronike.



Zbuloni portalin My | SCM:
Bota e shërbimeve SCM
24/7 nga cdo dispozitiv.



SPARE PARTS

PJESË KËMBIMI PJESA E DUHUR NË KOHËN E DUHUR

Ekipi i Pjesëve të Këmbimit të kompanisë SCM është në gjendje të mbështesë vazhdimisht klientët e saj gjatë zhvillimit të aktiviteteve të tyre prodhuese, duke ofruar pjesë këmbimi origjinale dhe identifikim të pjesëve të nevojshme për të rikthyer në gjendje pune makineritë ose linjat e prodhimit. Gjithashtu, ofrohet shërbim riparimi për elementet elektronike, vaskat e ngjitësve dhe elektromotorët.

Falë një magazine qendrore dhe gjashtë magazinave dytësore të shpërndara në të gjithë botën, SCM menaxhon mbi 1,000 dërgesa çdo ditë, me një kohë reagimi të vërtetë shumë konkurruese.

Gjithashtu, ne ofrojmë:

- Listën e pjesëve të këmbimit të rekomanduara sipas matrikoles dhe modelit të makinës.
- Listën e pjesëve të këmbimit me konsum më të madh.
- Aksesorët e makinerive



KONTAKTE



SHQIPËRI

Adresa

Simac albania shpk
,Autostrada Tiran –Durrës
km 10, Prane ICA dhe
Alba elektrika

Email

info@si.mac.it

Telefon

[00355.69.40.33.597](tel:00355.69.40.33.597)

Facebook

[si-mac albania](https://www.facebook.com/si-mac-albania)

YouTube

[Simac Official](https://www.youtube.com/SimacOfficial)

Instagram

[simacalbania](https://www.instagram.com/simacalbania)



KOSOVË

Adresa

Si-Mac
Kosovo L.L.C., Parku
i biznesit A13, 13050
Bushat

Email

kosova@si-mac.it

Telefon

[+38345600975](tel:+38345600975)

Facebook

[Si-Mac Kosova](https://www.facebook.com/Si-Mac-Kosova)

YouTube

[Simac Official](https://www.youtube.com/SimacOfficial)

Instagram

[sima.kosovo](https://www.instagram.com/sima.kosovo)



MAQEDONIA E VERIUT

Adresa

Si-Mac Macedonia shpk
4MMW+W57, Kumanovo

Email

macedonia@si-mac.it

Facebook

[Si-Mac Macedonia](https://www.facebook.com/Si-Mac-Macedonia)

YouTube

[Simac Official](https://www.youtube.com/SimacOfficial)

SCM GROUP SPA

Via Casale 450
47826 Villa Verucchio – Rimini (Italia)
Tel.: +39 0541 674111
Fax: +39 0541 674274

scm@scmgroup.com

www.scmwood.com

