

Familie: KANTENANLEIMMASCHINEN

Code:  
007517

Unterfamilie: Einseitige Kantenanleimmaschine

Marke: BRANDT

Modell: KDF 660 GC



panel2Tipodibordoapplicatos_s	bordoSottile bordoSpessore legnoMassello
panel2SistemaIncollaggio_s	eva hotAir
optionalPanelMovementPressures2_s	1
optionalPanelMovementPressures4_s	1
optionalPanelMovementPressures3_s	1
Max. Vortriebsgeschwindigkeit	18 m/min
genericsMaxSpeedi2_i2_i	60 mm
genericsPanelMaxHeighti4_i	9 nr
panelMinHeight_i	10 mm
genericsPanelMaxHeight_i	60 mm
genericsPanelMinWidth_i	70 mm
genericsEdgeMinThickness_i	0.4 mm

genericsEdgeMaxThickness_i	12 mm
Max. Vortriebsgeschwindigkeit	18 m/min
optionalPanelMovementPressure_s	1
optionalPanelMovementRadioField_s	1
optionalPanelMovementPanelGuide_s	1
SpecificsFieldset_i	1
specificsFieldsetGruppo_ss	rettifiche
specificsFieldsetInterventoatempoautomatico_s	1
specificsFieldsetConposizionamentodaCn_s	0
specificsFieldsetCambioutensiliaautomatico_s	0
specificsFieldsetPotenzamotore_i	2.2 KW
specificsGlueGroupWarehouse_s	1
specificsGlueGroupNrPosition_i	1
specificsGlueSystemGlue_s	1
specificsGlueFieldsetSystemGlueThermalFuse_s	1
specificsGlueFieldsetSystemGlueThermalFusePremelter_s	1
specificsGlueFieldsetSystemGlueHotAir_s	1
specificsGlueFieldsetSystemGlueAriacalda_s	AIRTEK
specificsGluePressionRoller_s	1
specificsGlueNrRollers_i	4
specificsGlueConposizionamentodaCn_s	1
SpecificsEdgeGroupFieldset_i	7
specificsEdgeGroupFieldsetGroup_ss	1 3 4 5 6 7 8
specificsEdgeGroupFieldsetFieldsetModellocostruttore_s	WD60
specificsEdgeGroupFieldsetNrEngine_i	2 2 2 1 2
specificsEdgeGroupFieldsetCambioutensiliaautomatico_s	0 0 0 0 0 0
specificsEdgeGroupFieldsetCN_s	0 1 0 0 1 0 0
specificsEdgeGroupFieldsetAutomaticIntervention_s	0 0 0 0 0 0
specificsEdgeGroupFieldsetAutomaticIntervention_s2_s	0 0 0 0 0 0
specificsEdgeGroupFieldsetAutomaticIntervention_s3_s	0 0 0 0 0 0
specificsEdgeGroupFieldsetEnginePower_i	0.18 0.35 0.55 0.35 3.5 KW
optionalSprinklerGroup_s	1

optionalCheckMachineSoftwareMachineProgramming_s	Powercontrol PC20
OptionalSafetyStandardGroupCee_s	1
optionalSafetyStandardGroupTotalPower_i	22 KW

---