

contact@kraffter.fr 🙆

+33 (0)4 86 11 77 77 📞

www.krafftermachinetools.com

TYPE OF MACHINE: Swiss-type CNC lathe

STOCK N° ♦ 90108

BRAND \$ STAR

MODEL SR-20R

YEAR **♦ 2000**

TOCATION TO 73240 St-Genix-les-Villages, FRANCE











TECHNICAL CHARACTERISTICS

Number of axes5Max. turning lenght205 [mm]Max. bar diameter in turning spindle20 [mm]Max. spindle speed8000 [rpm]Increment C-axis0.001[°]Spindle power3.7 [kW]Max. bar diameter counter spindle20 [mm]Max. counter spindle speed4500 [rpm]Counter spindle increment C-axis0.001[°]Counter spindle power1.1 [kW]	
Max. bar diameter in turning spindle20 [mm]Max. spindle speed8000 [rpm]Increment C-axis0.001 [°]Spindle power3.7 [kW]Max. bar diameter counter spindle20 [mm]Max. counter spindle speed4500 [rpm]Counter spindle increment C-axis0.001 [°]	
Max. spindle speed 8000 [rpm] Increment C-axis 0.001 [°] Spindle power 3.7 [kW] Max. bar diameter counter spindle 20 [mm] Max. counter spindle speed 4500 [rpm] Counter spindle increment C-axis 0.001 [°]	
Increment C-axis 0.001 [°] Spindle power 3.7 [kW] Max. bar diameter counter spindle 20 [mm] Max. counter spindle speed 4500 [rpm] Counter spindle increment C-axis 0.001 [°]	
Spindle power3.7 [kW]Max. bar diameter counter spindle20 [mm]Max. counter spindle speed4500 [rpm]Counter spindle increment C-axis0.001 [°]	
Max. bar diameter counter spindle 20 [mm] Max. counter spindle speed 4500 [rpm] Counter spindle increment C-axis 0.001 [°]	
Max. counter spindle speed 4500 [rpm] Counter spindle increment C-axis 0.001 [°]	
Counter spindle increment C-axis 0.001 [°]	
Counter spindle power 1.1 [kW]	
<u> </u>	
Number of positions end attachment 4	
Number of motorized positions end attachment 4	
Number of positions guide bush holder 1 6	
Number of motorized positions guide bush holder 1 4	
Live tools speed guide bush holder 1 5000 [rpm]	
Number of positions secondary operation 4	
Number of motorized positions secondary operation 4	
Lubrication tank capacity 155 [l]	
Supply voltage 400 [V]	
RS232 Interface Yes	
Number of running hours 40920 [h]	
Weight 2200 [Kg]	

The information on this page has been obtained by the best of our ability. Therefore, its accuracy can not be guaranteed





EQUIPMENT INCLUDED:

x1 IEMCA Genius 226/32 barfeeder x4 live turning tool holders x1 rotating guide bush x1 parts catcher x1 part ejector x1 coolant tank

The information on this page has been obtained by the best of our ability. Therefore, its accuracy can not be guaranteed

















































































