

TIPO DI MACCHINA:

**Rettificatrice a coordinate
CNC
90101**

N.STOCK

MARCA

HAUSER

MODELLO

S40-400

POSIZIONE

**73240 St-Genix-les-Villages,
FRANCE**

[LINK DIRETTO](#)





CARATTERISTICHE TECNICHE

Tipo di CN	FANUC Series O-M
Corsa dell'asse X	650 [mm]
massima velocità Corsa dell'asse X	4000 [mm/min]
Velocità di avanzamento di lavoro dell'asse X	0 - 1800 [mm/min]
Corsa dell'asse Y	450 [mm]
Velocità di avanzamento di lavoro dell'asse Y	0 - 1800 [mm/min]
Corsa dell'asse Z	130 [mm]
Velocità minima corsa dell'asse Z	0.5 [mm/min]
Velocità massima corsa dell'asse Z	12000 [mm/min]
Frequenza della corsa dell'asse Z	max. 4 [Hz]
Corsa dell'asse W	500 [mm]
Velocità dell'asse C (planetario)	5 - 250 [rpm]
massima velocità Corsa dell'asse W	800 [mm/min]
Corsa dell'asse U (avanzamento radiale)	5.5 [mm]
Distanza tra le colonne	750 [mm]
Lunghezza del tavolo	770 [mm]
Larghezza del tavolo	630 [mm]
Distanza tra motore di rettifica e tavola	585 [mm]
Peso massimo ammissibile sul tavolo	500 [Kg]
Tensione di alimentazione	400 [V]
Peso	4550 [Kg]

Descrizione tecnica a solo scopo informativo, senza impegno da parte nostra



ULTERIORI INFORMAZIONI

EQUIPMENT INCLUDED:

x1 HI-CUT pack including:

- work area protection
- exhaust system with electrostatic air filter
- fire protection system (to be assessed by a qualified body)
- automatic paper tape filtration unit

x1 grinding motor 22 S, speed 4500 - 22500 [rpm], for EX23 collets - part number: 181561

x1 45 S grinding motor, speed 9000 - 4500 [rpm], for EX19 collets - reference: 144017

x1 80 S grinding motor, speed 40000 - 80000 [rpm], for F6 collets - reference: 144021

x1 grinding motor for slot grinding (motor + belt are included) - reference: 144022

x3 grinding tools for slot grinder

x1 set of belts for slot grinding motor

x1 intermediate plate for alignment of grinding motors - reference: 192940

x1 infinitely adjustable cantilever plate with mounted grinding motor for grinding up to Ø360 [mm] - reference: 144023

x1 adjustable plate, for tilting grinding motors and turbines (up to 16°) - reference: 126148

x1 set of 2 HAUSER 90° angle brackets - reference: 155361

x1 centring microscope - reference: 146318

x1 tool contact detection device - reference: 162334

x20 grinding wheel holders

x1 cable for grinding motor

Various tools

Complete documentation

Descrizione tecnica a solo scopo informativo, senza impegno da parte nostra





























