




Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



ROTARY AUTOCLAVE BARRIQUAN STERIFLOW 1 B



ID:	000000203001
MAKE	BARRIQUAND STERIFLOW
WORKING PRESSURE	5 Bar
WORKING TEMPERATURE	150°C
NUMBER OF BASKETS	1
MIN TEMPERATURE	20°C
PRESSURE TEST	10 Bar
VOLUME	740 dm³
MADE OF	STAINLESS STEEL



ROTARY AUTOCLAVE BARRIQUAN STERIFLOW 1 B

SPACE TOTAL DIMENSIONS

LENGTH	1,900 m	WIDTH	1,800 m	HEIGHT	2,400 m	WEIGHT	750,00 Kg
--------	---------	-------	---------	--------	---------	--------	-----------

WORKING DIMENSIONS

LENGTH	0,700 m	WIDTH	0,500 m	HEIGHT	0,540 m
--------	---------	-------	---------	--------	---------

DESCRIPTION

Autoclaves are used to sterilize packaged products that require high temperatures (+100°C) to eliminate or inactivate pathogenic microorganisms.

Rotary autoclaves: These are used to sterilize products that present greater challenges in heat transfer. Examples include vegetables in whole, grated, or diced form, and beverages such as smoothies, teas, coffees, or evaporated milk. In this type, the basket rotates inside the autoclave, agitating the contents and preventing the pieces closest to the sides of the container from burning.

Tray dimensions: 600 mm x 400 mm x 100 mm.

Total dimensions of the loading cart: 1500 mm x 1400 mm x 820 mm.

Dimensions of the static structure (5 trays): 700 mm x 50 mm x 54 mm.

INCLUDES:

- Pressure pump.
- Heat exchanger:
- Brand: Barriquand Steriflow
- Type: POT DE RECUPERATION.







Tomás Guillén
MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



ROTARY AUTOCLAVE BARRIQUAN STERIFLOW 1 B





ROTARY AUTOCLAVE BARRIQUAN STERIFLOW 1 B

