


Get Exceptional Quality and Performance in a Tension-Free Spreading System at an Affordable Price



AN AFFORDABLE AUTOMATED SPREADING SOLUTION THAT ASSURES MATERIAL ROLLS WEIGHING UP TO 125 KG (276 LB.) ARE SPREAD WITHOUT TENSION AND EDGES ARE ALIGNED PERFECTLY.

THE XLS125 IS DESIGNED FOR MAXIMUM PERFORMANCE, REPEATABILITY AND PRODUCTIVITY.



Available for left- or right-hand operation.



Cradle feed system provides tension-free spreading.

Achieve maximum performance.

- The GERBERSpreader™ XLs125 offers the flexibility for a wide variety of applications.
- Designed for maximum performance and productivity.
- The XLs125 spreads woven or knit materials in roll or flat-folded form.

Reduce raw material costs.

- The XLs125 ensures predictable and repeatable tension-free spreading of material.
- Provides accurate and consistent spread length.
- Accurately aligns material edges so parts can be nested closer to the ends and edges of material to optimize material utilization.
- Tension-free spreading ensures more accurate cut pieces and lower rejection rate in the sewing room.

Experience reliability.

- The XLs125's reliable, robust construction and strength of design ensures minimal downtime in typical use and easy maintenance with existing resources.

Enjoy ease of use.

- Material roll cradle feed system tilts automatically for easy material loading and unloading.
- The XLs125 also features a simplified icon-driven user interface that is easy to learn and easy to train new users to operate.
- Operator interface available in English, Spanish and simplified Chinese.

Choose an affordable investment.

- Realize an immediate ROI with labor and material savings.
- Low installation, training and other one-time costs.
- Low ongoing costs for parts and maintenance labor.


GERBER XLs125 SPREADER



Intuitive, graphical touch-screen simplifies operator training and use.



Optional platform allows operator to ride alongside the table.



Movable end catcher for face-up, one way or face-to-face (zigzag) spreading.

NOTE:
Configurations vary according to options selected.

Specifications are subject to change without notice.

GERBERSpreader™ is a trademark of Gerber Technology LLC.

Gerber products are patent protected.

© 2017 Gerber Technology LLC.
All rights reserved.

Gerber Technology
24 Industrial Park Road West
Tolland, CT 06084 USA

TOLL FREE (USA)
800.826.3243

TELEPHONE (International)
+1.860.871.8082

www.gerbertechnology.com

Form No. 06202017

System features.

- Front cradle belt plate for support of light material.
- Special bar for reverse wound material.
- Automatic cutting device with adjustable sharpening interval.
- Electronic edge control.
- Variable speed control.
- No cloth stop function.
- Ply counter.
- Programmable lay length and end allowance settings.
- Service prompts.
- Operator-side safety device.
- Electric tilt cradle.

Spreading modes supported (with or without end catchers).

- Face-up, one way.
- Face-to-face (or zigzag).
- Section.
- Step.
- Rainbow.

Available options & services.

- Available for left- or right-hand operation.
- Zigzag equipment with or without end catchers.
- Moveable and/or stationary end catchers.
- Flat-fold attachment.
- Smoothing roller.
- Cloth bar.
- Remote emergency stop.
- Operator platform.
- Complete service and parts supply packages.
- Comprehensive operator and technician training.
- Paperstand for one roll of tissue paper.
- Plate under rear cradle belt for light material.
- Tray for extra material roll (max roll weight 75 kg).
- Cut Ticket workflow.
- Label ID.