



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



TOYO JIDOKI TVP-E3 POUCH FILLER AND SEALER



ID:

0000000196230

MAKE

TOYO JIDOKI

PRODUCTION

30 BAGS/MIN

MAX FILLING CAPACITY

0.56 kg.

CONTROL PANNEL

INCLUDED

AMPERES

20 A

AIR CONSUMPTION

350 NL/min

VOLT

415 V

PRESSURE

0.5 MPa

MODEL

TVP-E3

MADE OF

STAINLESS STEEL

POWER

10 KW / 14 HP



Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



TOYO JIDOKI TVP-E3 POUCH FILLER AND SEALER

SPACE TOTAL DIMENSIONS

LENGTH	3,100 m	WIDTH	2,150 m	HEIGHT	2,250 m	WEIGHT	2.800,00 Kg
--------	---------	-------	---------	--------	---------	--------	-------------

DESCRIPTION

Vacuum pouch filling and sealing machine

Pouch size: width 90 mm - 180 mm , max. length: 260 mm

Sealing method: impulse heat sealing.

Pouch type: flat pouch

Packaging material: laminated pouch.

Specific applications: solid products, solids + liquids, and liquids, (seafood, nuts, pickles, etc.

Incorporates:

- 12 vacuum chambers 330mm x 300mm.
- 2 Busch vacuum pumps
- Product feeder: filling of the product in a polypropylene cylindrical container and this feeds the vacuum bag filler.
- Model: CF-90
- weight: 350 kg.
- Output: 35 containers/min.
- Outer container diameter: 88 mm
- Inner container diameter: 80 mm
- Max. filling capacity: 0.56 liters.
- Measurements: 1.85 m x 1.20 m x 2 m.

*** Production may vary depending on the format and product to be filled.**





Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA



TOYO JIDOKI TVP-E3 POUCH FILLER AND SEALER

