

**SAM 022077****HEDELIUS Type RS 60 MAGNUM-2000**

<b>Group</b>	5-axis machining center
<b>Manufacturer</b>	HEDELIUS
<b>Type</b>	RS 60 MAGNUM-2000
<b>Controller CNC</b>	SIEMENS SINUMERIK
<b>Youtube video</b>	<a href="https://youtu.be/h4D9L4P2ZXs">https://youtu.be/h4D9L4P2ZXs</a>



Time under power	37627 Heures
Operating time	15344 Heures
Number of axis total	3 / 5
Table length	1200 mm
Table width	600 mm
Circular table diameter	680 mm
Table load max.	300 kg
Longitudinal travel (X-axis)	2000 (600) mm
Transversal travel (y-axis)	620 mm
Vertical travel (z axis)	520 mm
Swivel angle (a-axis)	+15 / -95 °
Tool magazine number of tool places	56
Tool diameter max.	80 mm
Tool lenght	330 mm
Max. tool-weight	8 kg
Time of tool changing	3 s
Spindle nose SK	40 DIN 69871
Distance spindle nose to table	100 - 620 mm
Milling spindle speeds:	
Milling spindle:	
stepless	
from	50 t/min
up to	12000 t/min
Torque max.	121 Nm
Feed range	0 - 45000 mm/min
Rapid traverse:	45 m/min
Max. Feed force	7000 N
Voltage 50 Hz 3x	400 Volt
Total power required	25 kVA
Noise level	77 dB (A)
Machine's weight about	11000 kg
Overall dimensions machine:	
Length	5400 mm
Width	4300 mm
Height	3000 mm

**Various accessories:**

Set of toolholders	
Full splash cabin	
Coolant system	1250 l


[www.mullermachines.ch](http://www.mullermachines.ch)

- High pressure coolant device
- Air blast through milling spindle
- Paper filtration system
- Touch Probe Renishaw
- Chip conveyor
- Handwheel electronic
- Oil mist extractor
- Full enclosure workspace cowl
- Switch cabinet Air conditioner




80 bar



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)



[www.mullermachines.ch](http://www.mullermachines.ch)

