

FELDER KG

Machines + outillage pour le travail du bois

KR-Felder-Straße 1, 6060 HALL in Tirol, AUSTRIA
Tel. +43 5223 58500, Fax +43 5223 56130
info@felder-group.com, www.felder-group.com

**FELDER FORMAT 4 Hammer MAYER**

ONETOBE- mobilier Sur mesure
Mr Olivier VANHORENBEKE
Mr Jerome Cawet
513 rue au bois
1150 WOLUWE-SAINT-PIERRE
BELGIEN

Adresse de livraison

STE
ONETOBE- mobilier Sur mesure
Mr Olivier VANHORENBEKE
Rue Marconi 55
1190 BRUXELLES
BELGIEN



1R.25016600



0010367588

FACTURE

Page 1 / 12

Nr Facture 1R.25016600
DF-nr facture 57R0646902
Nr Client 0010367588
DF-Nr Client 8DF0N
TVA dest. facture BE0460792065

du 14/02/2025
Votre conseiller Guillaume Lopes
Adresse e-mail Interlocuteur interne g.lopes@felder-group.com

centrale | knab | 5 | 20022025073954

Les acomptes transfrontaliers ne doivent pas être inclus dans la déclaration fiscale
Naissance de la dette fiscale lors de la livraison/prestation

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
01	TEM6006LX FORMAT-4 TEMPORA 60.06 LX Nr Machine: 220.02.004.25 Lot/Numéro de série: 220.02.004.25	1 Pièce			
01.01	220-00118 Valves à commande séparée. Filtre-détendeur optimisé avec capteur de pression Alimentat° supplémentaire d'air de commande.	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
01.02	220-01004 Cadre étirable tempora 60.06L	1 Pièce			
01.03	220-01003 Bâti de machine tempora 60.06L Le bâti de machine de la plaqueuse de chants tempora 60.06L est fabriqué à partir de modules en acier électro-soudés Un niveau de stabilité élevé est assuré à l'intérieur du bâti.	1 Pièce			
01.04	220-10001 Outils de réglage de la série tempora	1 Pièce			
01.05	220-10011 Autocollant signalétique tempora 60.06 L	1 Pièce			
01.06	220-10014 Plaque signalétique tempora 60.06 L	1 Pièce			
01.07	220-01202 Barre de press. sup. tempora 60.06 et 60.06L Barre de pression en modules d'acier soudés résistants aux torsions. Hauteur de la pièce réglable de 8 à 60mm au-dessus de la manivelle Les barres de pression sup., lisses et disp. en quinconce sur 2 rangées, garantissent une répartit° max. de la press. sur la pce. Surveillance écart entre	1 Pièce			
01.08	220-01302 Entraîn. par chaîne pr tempora 60.06/60.06L Vitesse d'avance de 10m/min Moteur d'entraînement 0,75kW (S6) La largeur minimale des pièces varie selon la longueur de la pièce, la hauteur et la nature de la surface Longueur minimale de la pièce: 140mm Patins segmentés et caoutchoutés avec système de changement rapide. La largeur minimale des pièces varie selon la longueur de la pièce, la hauteur et la nature de la surface	1 Pièce			
01.09	220-01401	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
	Plateau tourn. charg. de chants D = 750mm pr matériel de chants en rouleaux 0,4à 3mm Plateau tournant monté sur roulement billes pour matériau de chants en rouleaux.				
01.10	220-01403 à réglage manuel. La surface d'appui d'entrée est conçue pour les surfaces sensibles Surface d'appui 600mm. La prise de copeaux pour l'agrégat de calibrage peut être réglée manuellement entre 0 et 2mm sur le guide d'entrée. La prise de copeaux s'affiche sur un compteur numérique.	1 Pièce			
01.11	220-01501 Guidage du chant pour chants en rouleaux et en bandes en guidage individuel	1 Pièce			
01.12	220-02201 Agrégat de pression à commande pneumatique temporisée 1 roul.de press. sur transm. et 2 coniques, réglage manuel avec lecture sur compteur numérique.	1 Pièce			
01.13	220-03001 Guillotine pour chants en rouleaux d'une épaisseur de 0,4 à 3mm	1 Pièce			
01.14	220-05301 Agrégat de polissage supérieur	1 Pièce			
01.15	220-05302 Agrégat de polissage inférieur	1 Pièce			
01.16	220-00101 Équipement électrique 3 x 400V 50Hz Lorsqu'un interrupteur différentiel (FI) est placé en amont, celui-ci doit être un interrupteur différentiel tous-courants type B adapté fonctionnement avec convertisseur fréquence courant de déclenchement 300mA	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
01.17	220-90003 60.06/L, anglais Manuel d'utilisation tempora 60.06 / L, français	1 Pièce			
01.18	220-00204 Commande x-motion Plus avec écran smartouch 15"	1 Pièce			
01.19	220-03102 Agré. coupe en bout avec lames scie à 2 mot. 0,35kW (1CV) 12000t/min, lames de scie HW Z 24 D-100 x 20 x 3,2mm inclinable de manière pneumatique de 0° à 10° Lors de l'usinage de chants en bois massif, des points de pression peuvent apparaître sur le matériau de chant.	1 Pièce			
01.20	220-04303 Agrégat de fraisage multifonctions supérieur Commande x-motion Plus via écran smartouch Agrégat d'affleurage droit et à rayon à pos. commandée, 1 moteur à haute fréquence 0,75kW (1CV) 12000t/min.	1 Pièce			
01.21	220-04304 Agrégat de fraisage multifonctions inférieur Commande x-motion Plus via écran smartouch Agrégat d'affleurage droit et à rayon à pos. commandée, 1 moteur à haute fréquence 0,75kW (1CV) 12000t/min.	1 Pièce			
01.22	220-05003 Araseur de rayon supérieur x-motion Plus pour l'usinage de Chantsen plastique de 2 à 3mm.	1 Pièce			
01.23	220-05004 Araseur de rayon inférieur x-motion Plus pour l'usinage de Chantsen plastique de 2 à 3mm.	1 Pièce			
01.24	220-04403 Agrégat d'usinage des angles à réglage motorisé pour profils postforming et softforming Agrégat pour fraisage des formes à commande temporisée pour usinage	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
	de chants frontaux. Épaisseur du chant de 0,4 à 3mm. Hauteur de pièce de 10 à 60mm. Longueur minimale de la pièce: 270mm Chants en bois possibles en partie, en fonc. Restrictions pour les positions médianes sur les pièces postform. et soffform. et sur les chants mélaminés/avec film et les surfaces de matériaux				
01.25	220-05005 Rangement pneumatique commandé de l'agrégat d'arasage de rayons L'agrégat est retiré du plan de travail par la commande pneumatique.	1 Pièce			
01.26	220-00208 réglage en haut. motorisé barre de pression x-motion_plus	1 Pièce			
01.27	220-10002 Autocollant Jowat dans le bâti de machine inclut 2 kg de granulé de colle pour l'installation	1 Pièce			
01.28	220-05103 Araseur de surface supérieur à commande pneumatique tempo. pour nesting	1 Pièce			
01.29	220-05104 Araseur de surface inférieur à commande pneumatique tempo. pour nesting	1 Pièce			
01.30	220-05304 Vaporisation de produit de nettoyage	1 Pièce			
01.31	220-01503 Lampe de chauffage infra-rouge pour le préchauffage du chant des panneaux. La lampe de chauffage infra-rouge sert à préchauffer les chants des panneaux et garantit ainsi une résistance optimale du collage des chants. La lampe de chauffage est commandée via la mesure de la distance et se met automatiquement en MARCHE ou à	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
01.32	220-04007 Agrégat de calibrage avec fraises diamantées à commande temporisée Vitesse de rotation 12000 t/min 2 x 1,5 kW prise de cop. max. 2 mm, fraises de calib. avec coupe diamant Z2+2 D-80 x 49 mm Enlèvement de copeaux selon la hauteur de pièce et le matériau	1 Pièce			
01.33	220-04004 Fraise de calibrage D=80mm H=64mm Z 2+2 garnie avec plaquettes interchangeable DIA	1 Pièce			
01.34	202-01100 Emballage tempora 60.08	1 Pièce			
01.35	220-01406 Préparation conforme à la technique de production Table à coussin d'air	1 Pièce			
01.36	220-01408 Guide d'entrée F600 rallongé avec table à coussin d'air	1 Pièce			
01.37	220-04305 Roulaux de palpation multiples pour l'usage de pièces avec perçages pour charnières	1 Pièce			
01.38	220-05305 Dispositif de pulv. de produit de glissement	1 Pièce			
01.39	220-01307 Lubrification automatique pour rails de guidage convoyeurs à chaînes Celle-ci est contrôlée via la commande et activée si la valeur descend en-dessous du seuil de tolérance	1 Pièce			
01.40	220-02004 L'unité Easy Clean est util. pr retir. et collec. restes de colle du rouleau encolleur. Elle facilite le changement de colle dans la	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
	machine. La colle est retirée du rouleau encolleur et transportée dans un réservoir amovible. Une unité est aussi bien adaptée pour la colle à fusion EVA que PUR.				
01.41	220-01204 Verrouillage d'insert° mécano-pneumatique pour surveillance écart entre les pièces Un boulon en acier à commande pneum. empêche l'insertion de pièces avant que l'écart minimum entre les pièces ne soit atteint. (Rouleaux de palpée multiples)	1 Pièce			
01.42	220-02002 Agréat d'encollage à revêtement en téflon pour granulés EVA 1,5kg avec rouleau d'encollage synchronisé et système de changement rapide ainsi qu'inversion du sens de rotation. Convient à la transformation de colle PUR en tenant compte des directives de traitement de la colle.	1 Pièce			
01.43	220-00205 Enregistrement des heures de fonctionnement pour plusieurs utilisateurs	1 Pièce			
01.44	220-00115 Ventilateur pour boîtier électrique	1 Pièce			
01	202-10031 Conditions indispensables au transport de la machine dans l'atelier: Lors du déchargement de la machine du camion le client met à disposition une grue d'une d'une capacité de levage de 5 tonnes ou un chariot élévateur pouvant soulever 2,5 to avec des fourches d'une longueur de 1500 mm.	1 Pièce			
01	202-10038 La "check-list technique" transmise avec la confirmation de commande fait partie intégrale de cette commande. Nous vous prions de l'étudier attentivement, de la remplir et retourner dans le délai demandé.	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
01	202-10032 Aide à la charge du client lors du transport de la machine à l'atelier: Le client met à disposition deux aides supplémentaires (employés) après le déchargement du camion pour transporter la machine à son lieu d'emplacement. Les ouvertures de passage (largeur et hauteur des portes) doivent avoir 1200mm de largeur et 2000 mm de hauteur. Le sol sur lequel la machine est transportée doit être consolidé (béton, sol industriel etc...) et nivelé.	1 Pièce			
01	202-10033 Préparation du sol d'emplacement de la machine à la charge du client: La base du sol de la machine doit être préparée selon les spécifications du croquis en annexe au lieu d'emplacement: Fondation nivelée qualité du béton avec une résistance de pression d'au moins de C20/25.	1 Pièce			
01	202-10034 Préparation à l'installation d'air comprimé à la charge du client: Le raccord à l'air comprimé doit être préparé selon les spécifications du croquis en annexe au lieu d'emplacement: Qualité de l'air comprimé selon ISO 8573-1 pression minimale de 7 bars en continu,	1 Pièce			
01	202-10035 Préparation à l'installation électrique à la charge du client 3x400V: Le raccord électrique doit être préparé selon les spécifications du croquis en annexe au lieu d'emplacement de la machine: Tension d'alimentation 3x400V +/- 5% 50Hz valeur du raccord maxi.: environ 11 kW fusible auxiliaire recommandé 32A. Il est recommandé de placer un stabilisateur s'il y a trop de fluctuations de courant. Le raccord électrique de la machine doit être effectué par un électricien spécialisé au premier jour de l'installation.	1 Pièce			
01	202-10036 Préparation à l'installation de l'aspiration à la charge du client: Un raccord à l'aspiration doit être préparé	1 Pièce			

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
	selon les spécifications du croquis en annexe au lieu d'emplacement de la machine: Raccord d'aspiration selon le croquis en annexe puissance d'aspiration 3000m3/h vitesse de l'air 20 m/sec, dépression 3000Pa La machine doit être raccorder à l'aspiration par le fournisseur de l'aspiration le jour de l'installation.				
01.45	220-113 Table à coussin d'air avec support de pièce étirable tempora F600 Table à coussin d'air d'une longueur de 1050mm à disposer séparément sur la machine pour un déplacement simple et sans compromis des pièces grand format	1 Pièce			
01	Machine comprend les options suivantes T6006LD_5.NP @T606LDC455: 001 004 009 903 75 755 88 300 301 302 303 304 306 950 951 21 32 43 47 46 48 48A 51 53 59 63 64A 67 72 76				
	22-0-029 Transport G 480/tempora 45.03/45.03L/60.06/60.06L/gluebox - Livraison Semi-Remorque 40 Tonnes hors déchargement	1 Pièce			
01	S-SPEZIAL(C) COMMANDE SPECIALE FORMAT-4: C4-053-24148: 220-05307 - Anti-static spraying unit	1 Pièce			
01.47	RMI Installations et réparations 23-1-030 - Inbetriebnahme inkl. Einweisung	1 Pièce			
Prix catalogue					64 535,00
Remise spéciale					-11 371,00

Pos	Article	Qté	Coût unitaire	%	Prix total EUR
	Total HT				53 164,00
	Acompte				-53 164,00
	Acompte pour votre commande: 1A.24119029				
	FORMAT-4 TEMPORA 60.06 LX				
	100 % lors de la passation de la commande				
	Total HT				0,00

Information fiscale:

Livraison intracommunautaire exonérée conformément aux dispositions de l'article 138 de la directive 2006/112/CE.

La date de référence est la date de la facture.

Demande de paiement en EUR	HT	0% T.V.A.	TTC
Montant total de cette facture finale	53 164,00	0,00	53 164,00
1. Facture Acompte 1AZ.24016706 (2024-12-03)	-53 164,00	0,00	-53 164,00
Montant total après déduction des factures d'acompte	0,00	0,00	0,00

Mode ExpéditionMachine transport

Conditions de livraisonDAP (delivered at place) Bruxelles

Information importante pour paiement/transfert bancaire

BanqueDestinataire

TIROLER SPARKASSE
Felder KG
IBAN:AT442050303000906200
BIC:SPIHAT22XXX

Référence

1R.25016600

Lors d'un virement en ligne, prière de toujours stipuler clairement le nr. de facture dans la ligne référence:
1R.25016600

Le représentant en charge de votre secteur est: Monsieur Guillaume Lopes FELDER-GROUP IDF,
Parc spirit ZAC Neuville Univ-BatA LotA1, 100 Rue d'Eragny, 95000 NEUVILLE SUR OISE Tel: 01
49 21 16 02, Fax: 04 72 14 94 75 E-mail: g.lopes@felder-group.com Monsieur Lopes vous
contactera d'ici peu. Notre compte en banque: Titulaire: Felder KG Banque: TIROLER
SPARKASSE Swiftcode: SPIHAT22 / IBAN-Code: AT 44 20503 03000906200 No. de
banque: 20503 No. de compte: 03000 906200 Adresse: A-6020 Innsbruck, Autriche

Terms and conditions of trade (at/en)**I. Contract**

- (1) The terms and conditions of trade apply to all present and future business relations.
- (2) Deviating, opposing or additional terms and conditions of trade from the customer, shall – even when acknowledged – not be part of the contract, unless they have written approval.
- (3) By placing an order the customer enters a binding agreement to purchase the good or service. Finalisation of the order will be confirmed by the seller within 2 weeks through an order confirmation or alternatively by the carrying out of the service. 2 weeks is based on the day on which the confirmation is posted, not received.

II. Prices

- (1) All pricing is ex-works, A 6060 Hall in Tyrol.
- (2) Unless otherwise stated, the total amount is shown as a brutto amount before relevant sales tax.
- (3) The prices do not include transport or shipping costs.

III. Delivery

- (1) Unless otherwise stated, all deliveries are ex-works, A 6060 Hall in Tyrol, at the risk and expense of the customer.
- (2) Should the goods be sent to or installed for the customer at their request, the customer must also carry the risk of accidental loss or damage, regardless of the origin of the goods or who carries the transportation costs.
- (3) If the transport and insurance of the goods is included in the order, the risk of accidental loss or damage of the goods is transferred with the handover of the goods.
- (4) If the customer does not collect or accept delivery of the goods within the stipulated time period nor following the additional respite, whether expressed or not, the seller can withdraw from the contract and claim for compensation. The same applies to late payment of the agreed final amount.
- (5) The seller is not required to take back packaging.

IV. Delivery schedule, force majeure, strike, lockout, suppliers

- (1) Delivery schedules are approximations.
- (2) Delivery times can only be kept to providing complete and timely deliveries from our suppliers. Unforeseeable interruptions to normal business proceedings of the seller or of their suppliers which are outside of their control such as lockouts, force majeure which are due to unforeseen or unavoidable circumstances may delay the delivery by an undermined amount of time.
- (3) Post contract agreements, particularly when concerning technical details may influence the delivery time.
- (4) In the event of a delivery delay being caused by any circumstances outside of the control of the seller, the buyer may only withdraw from the contract once a written cancellation is submitted after the agreed delivery date has passed and only once following receipt of the written cancellation an agreed reasonable extension to the delivery date also passes. The buyer is not entitled to claim for compensation arising from such a cancellation.
- (5) The seller is only liable for damages due to delays in delivery resulting from intention or gross negligence.
- (6) Should the delivery of the goods be made impossible as mentioned in paragraph (2) or excessively difficult, the seller must inform the buyer; In doing so the seller is exempt from a requirement to deliver the goods.

V. Payment

- (1) Unless otherwise stated, the total amount including any additional costs, is to be paid in full within a period of no more than 12 days from the date of the invoice.
- (2) The payment is deemed on time or late according to the date it is received by the seller.
- (3) Bank orders and cheques shall only be accepted on agreement of the seller whereby any applicable bank charges must be carried by the buyer.
- (4) The seller shall charge registered businesses 1,5% interest per month in the event of payment arrears. The seller reserves the right to charge a higher rate.
- (5) The seller shall charge private customers 5% per month above the base interest rate in the event of payment arrears.
- (6) The buyer may only challenge the claims of the seller when the buyers case is standfast or legal proof is presented. The same applies to the lien right of the buyer. Furthermore the right of lien must be justified according to the terms and conditions of the sales agreement.
- (7) In the event that the payment terms are not honoured or the customer files for bankruptcy, the seller is justified to call in all open payments with immediate effect.
- (8) In the event that the customer owes on multiple invoices or payments the seller can stipulate that the older open amounts must first be settled before any others can be settled.
- (9) In the event of late payment, the seller is permitted to charge a notice fee (max. Euro 25,-) per notice as well as all charges incurred in the event that a legal action is taken.

VI. Warranty

- (1) The seller is entitled to choose the method by which any faults in the goods are corrected by either repair work, replacement or reduction in the selling price. Claims for compensation are not possible.
- (2) The customer must check the machine upon receiving it and immediately report any faults in writing.
- (3) If the buyer is the end user, he has the right to choose whether the correction of the defect is by means of repair or replacement. The seller is however entitled to decline the means of correction, should it involve disproportionate costs and the alternate means of correction does not result in significant disadvantages for the end user. Compensation claims are not possible.
- (4) The buyer is required to give the seller a reasonable period of time to correct the defect; otherwise the right to warranty is deemed void. Should the correction of the defect not be completed within the legally stipulated time period, the customer can withdraw from the contract or claim for a reduction in the sales price. Small defects do not give the customer the right to withdraw from the contract.
- (5) The end user must submit a written report of obvious faults within the 10 day time period which commences once the goods have been received. Otherwise the right to having the faults corrected is waived.
- (6) Faults, that are not clearly recognisable during an in depth check, must immediately be reported as per paragraph 5, once they have been identified.
- (7) Warranty claims due to non obvious faults are no longer valid, if they are not submitted to the seller within 6 weeks following the hand over of goods, regardless of whether the goods have been commissioned or not.
- (8) For registered businesses, the right to warranty claims lapses one year after the delivery of the good. For consumers, the right to warranty claims lapses two years after the delivery of the good.
- (9) Instruction manuals supplied by the seller with the machinery must be rigorously followed by the operator. The seller cannot be held responsible to any claim resulting from the instruction manuals not being followed.
- (10) The conditions to which the seller has committed to supplying the goods or service are to be taken only from the agreed contract and not from price lists, advertising literature or catalogues. The customer does not receive a guarantee which is legally binding.
- (11) For private end users in the EU - and EEA- area the warranty for used machines is 1 year. There is no guarantee nor warranty for third party machines in an exchange. For professional end users in the EU - and EEA- region there is no warranty nor guarantee.

VII. Usage compensation of the seller

Should the buyer return a good due to breach or withdrawal from the contract, the seller has the right to compensation for the use of the good as well as processing fees. This compensation is calculated on the visual and technical condition of the returned good. The usage compensation will amount to a minimum of 30% of the net purchase price of the used good as well as a usage fee of 4% of the total purchase price per calendar month after invoicing.

VIII. Liability

The liability of the legal representatives, vicarious agents and employees of the seller vis-à-vis the customer are exempted except in the event of intention or gross negligence.

IX. Reservation of proprietary rights

- (1) The good remains the property of the seller up until the complete payment is made according to the terms and conditions.
- (2) In the event of resale to a third party prior to the settlement of all open amounts, the open amounts are transferred to the third party. The customer is required to inform the seller of this transfer in writing.
- (3) In the event of intervention by third parties, in particular the repossession of the good, the buyer must inform the seller immediately in writing as well as making the third party aware of the right of ownership. The customer must foot all costs required to reverse the repossession and return the goods.
- (4) As long as the reservation of proprietary rights exists, rental, disposal, pawning or any other form of transfer of the sales good including any modification is not permitted without the expressed written permission of the seller.
- (5) Throughout the reservation of proprietary rights the customer is entitled to the possession and use of the goods.
- (6) In the event that paragraphs 1–5 are not followed the seller is entitled to withdraw from the contract.

X. Withdrawal

- (1) Regardless of other legal and contractual reasons the seller is entitled to withdraw from the contract, in the event that the buyer has made false claims regarding their credit rating, withholds payment or installments, files for bankruptcy or the worsening of the economic conditions to the extent that the seller can no longer be expected to meet the terms of the agreement.
- (2) The seller is entitled to withdraw from the contract, in the event that conditions arise following the sales agreement that make the delivery impossible or economically unviable.
- (3) The purchaser is entitled to withdraw from the contract within 5 days. The withdrawal must be submitted in writing, either by fax or electronically. In the event of such a cancellation the seller is entitled to a cancellation fee of 30 % of the sale value incl. VAT.

XI. Place of performance and court of jurisdiction

- (1) In the event of legal disputes arising from this contract, the responsible court of jurisdiction is that of A-6060 Hall in Tirol. A-6060 Hall in Tirol shall be the court of jurisdiction for both sides of the dispute.
- (2) The legal relationship is subject to Austrian law. Cross references to foreign law do not apply.

XII. Other

- (1) Changes and additions must be in written form in order to be valid.
- (2) The requirement of changes in writing and additions can in turn only be annulled in writing.
- (3) In the event that a FELDER – Partner Contract exists, its terms and conditions overrule these general terms and conditions.
- (4) The seller is entitled to transfer various rights and obligations, including those stipulated in these terms and conditions to an authorised contract dealer, thereby releasing the seller from any obligations. In doing so the place of performance and court of jurisdiction are also transferred to that of the contract dealer. The customer has forthwith been informed of this and hereby agrees.
- (5) The nullity or ineffectiveness of individual terms does not influence the applicability of other terms.
- (6) In the event that individual terms stipulated by this agreement are not applicable, they should be adjusted to represent in the allowable context of this agreement.
- (7) If the good is ordered by electronic means, the seller will immediately confirm the receipt of the order. The confirmation of the receipt of the order does not represent a binding acceptance of the order. The confirmation of the receipt of the order may be combined with the acceptance of the order. In addition following an order by electronic means from the user, the contract text from the seller is saved and can be requested to be sent alongside the general terms and conditions by e-mail.
- (8) The FELDER KG Warranty terms and conditions can be found in the relevant operating manual as well as on the FELDER KG internet site www.felder-group.com.

XIII. Special terms and conditions for consumers act

- (1) Delivery charges: The delivery charges or transport charges are to be born by the buyer.
- (2) The contract terms are subject to Austrian law.
- (3) Rights of end users to withdraw from the contract in the event of a distance selling contract.
 - (3.1) The user has the right to revoke the purchase agreement with the seller within two weeks of receiving the goods. The revocation does not need to contain a reasoning and can be confirmed in writing or by returning the good to the seller.; Returning of the goods is deemed to meet the required 2 weeks, if the goods are dispatched within the required time period.
 - (3.2) By executing their right to revoke, the user is required to return the good. The cost of returning the good in the event that the sale is revoked must be born by the buyer. In the event that the delivered good does not match the ordered good, the return costs must be born by the seller.
 - (3.3) The consumer is hereby informed that they are accountable for any devaluation of the good through its regular use. The devaluation caused by the mere testing of the goods and resulting in the fact that the good can no longer be sold as 'new' must be covered by the consumer.
 - (3.4) The right to revoke the contract does not apply to the delivery of machines that have been built to specification for the user or in the event that due to their nature the machine is not suitable to be returned. A machine is deemed as being built to specification when the machine does not feature in the valid program range catalogue.