



Masuko Sangyo Ceren Miller **MKCL8-15 Dry** air-flow type ultra-fine micronizer

Model	MKCL8-15
Motor	11Kw , 3P
Standard capacity	10~30kg/Hr
External dimensions W × L × H	1000 × 1400 × 1800mm
Weight	280kg



Kääpä Biotech Oy

Ceren Miller DAU

Model:MKCL8-15J DAU

POWER:380V/50Hz 400v/60Hz 415v/50Hz 440v/60 Hz

Motor:3 phase 11kw, 2 pole

Method:Under decompression airflow type ultrafine micronizer

Triturating room rotation speed:MAX 72Hz 8200RPM 65~72Hz

Pulley	Masuko Sangyo Co., Ltd	
Timing belt	Bando chemical Industries Ltd.	3-7MS1450
Crush rotor	※ SUS304+SKH2+ Cemented carbide	
Classification rotor	※ SUS304+SKH55+Cemented carbide+ Partly diamond plating	
Classification plate	※ SUS304+diamond plating	
Tip of rotor	※ Tungsten carbide	
Standard capacity	3kg/hr (Tea leaves) ※Capacity differs by the raw material.	
Machine weight	1,200kg	
Control panel weight	200kg	

※Specification may vary depending on the model.