Tomás Guillén

MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA

S/S FMC 652 DF SEAMING MACHINE

ID:	0000000197466
MAKE	FMC
PRODUCTION	400 CONTAINERS/MIN
MAX FORMAT (MM)	100
MIN FORMAT (MM)	52
CAN	CYLINDRICAL
CONTROL PANNEL	INCLUDED
MAX. POWER	15 KW, 20 HP
HEADS	6
MODEL	652
CURRENT FORMAT (MM)	65

Tomás Guillén
MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA

S/S FMC 652 DF SEAMING MACHINE

SPACE TOTAL DIMENSIONS							
LENGTH	6,300 m	WIDTH	2,300 m	HEIGHT	2,350 m	WEIGHT	0,00 Kg

DESCRIPTION

The can seamer is the machine used for hermetically sealing the lid to the can body prior to sterilization. Depending on the product, sterilization can also be done before filling.

The sealing of the can is achieved by deformation and subsequent overlapping by compression of the metal layers of the can body and the lid.

The result is a kind of hook between the two that achieves its hermetic union and, consequently, the tightness of the container. This sealing requires a rubber (sealing gasket) inserted in the rim of the lid to achieve the most effective bonding of the metal layers.

* Production may vary depending on the format and product to be closed.
* Incorporates steam injection.

Features FMC 652 Seamer:
-Almospheric/Steam injection.
-Geared rotary can seamer.
-Integrated head.
-Normal lid / Easy open lid.
-Can feeding by straight infeed.
-Cans diameter min/max: 52,4 - 108 mm.
-Cans height min/max: 28-190 mm.

Tomás Guillén
MAQUINARIA PARA LA INDUSTRIA ALIMENTARIA

S/S FMC 652 DF SEAMING MACHINE